GEKKONIDAE	Geckos	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercia I food	Life- span	Other Information Unless otherwise noted, male geckos should not be housed together (can be housed with 2-3 females)
	African Fat Tailed	Ground	Handled	7-10 inch	Savannah Woodlands 20 gallon	80-85F 75-80F	Beg	Insects Crickets Spider	15+	Has eyelids  Claws – no adhesive toe pads  Provide hiding area
	Bibron	Semi- Arboreal	Handled	6-8 inch	Rainforest  10+ gallon 65-75% humidity	75-85F 65-75	Inter	Crickets Insects	10+	Fast runner Should be housed alone
	Crested, Eyelash, Guichenot, Giant	Arboreal	Handled	5-8 inch	Rainforest  20-40 gallon high  85% humidity	72-84F 62F	Inter	Insects Crickets Fruit Honey CF	10+	Tail: Will NOT regenerate  Health: Metabolic bone disease  Provide branches larger than the lizard  Hardy  Mist for water

GEKKONIDAE	Geckos	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercia I food	Life- span	Other Information Unless otherwise noted, male geckos should not be housed together (can be housed with 2-3 females)
	Crocodile, Moorish	Ground	Show	5- inch	Semi-arid Rocky 10-20 gallon Low humidity	70-85F 60-70F	Inter	Insects Crickets	8+	Provide large flat rocks or large branches 2-3x their size for them to hang on.
4	Flying, Kuhli Gecko	Arboreal	Show	6-inch	Rainforest  15+ gallon high  80-85% humidity	78-86F 72-80F	Inter	Insects Crickets Worms	5+	Communal if given enough space and hiding spaces  Flaps at sides of body for gliding short distances
	Gargoyle, New Caledonian	Semi- Arboreal	Show Infrequent handling	8-10 inch	Scrub Forest 15+ gallon high	70-75F 60-65F	Beg	Insects Crickets Fruit/ honey CF	10-15	Provide branches larger than the lizard  Mist for water
	Giant Day Gecko	Arboreal	Show	7-9 inch	Rainforest 10-20 gallon high 65-75% humidity	80-86F 72-76F	Inter	Insects Worms Fruit Honey CF	5+	Active day and night  Mist – drink droplets of water from plants  Provide plants and branches.

GEKKONIDAE	Geckos	Arboreal, Semi- Arboreal, Ground	Personality Show or Handled	Size Inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercia I food	Life- span	Other Information Unless otherwise noted, male geckos should not be housed together (can be housed with 2-3 females)
	Gold Dust Day Gecko	Arboreal	Show	4-5 inch	Rainforest 10-20 gallon high 65-75% humidity	80-86F 72-76F	Inter	Insects Worms Fruit/ honey Lizards CF	6+	Occasionally males will not get along with some females  *May eat smaller lizards and babies  Active day and night  Mist – drink droplets of water from plants
	House Gecko	Semi- arboreal	Show - Infrequent Handling	3-6 inch	Rainforest 10+ gallon 75% humidity	78-85F 70-75F	Inter	Insects Spiders	5+	Territorial: Males should not be housed together  Provide plants and branches.
	Leaf tail, Flat tail, Satanic	Semi- arboreal	Show	5-6 inch	Rainforest Woodland 10-20 gallon high	80-86F 72-78F	Inter	Insects	10-15	Communal if given enough space and hiding spaces  Provide plants and branches.

GEKKONIDAE	Geckos	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercia I food	Life- span	Other Information Unless otherwise noted, male anoles should not be housed together
	Leopard Gecko	Ground	Handled	6-8 inch	Desert Semi-arid 10-15 gallon	80-85F 72-75F	Beg	Insects Spider Lizards	10-15	Has eyelids  Claws – no adhesive toe pads  *May eat smaller lizards and babies  Will usually defecate in one portion of tank
	Lined Day Gecko	Arboreal	Show	4-5 inch	Rainforest 10-20 gallon high 65-75% humidity	80-86F 72-76F	Inter	Insects Crickets Fruit Honey CF	5+	Active day / night  These can be kept in pair's or groups of one male and several females  Provide plants and branches.
	Peacock, Four spotted Gecko	Arboreal	Show	4-5 inch	Rainforest 10-20 gallon high 75-80% humidity	80-86F 72-76F	Inter	Insects Crickets Fruit Honey CF	5+	Active day/ night  These can be kept in pair's or groups of one male and several females  Provide plants and branches.

GEKKONIDAE	Gcckos	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercia I food	Life- span	Other Information Unless otherwise noted, male anoles should not be housed together
	Standing's Day Gecko	Arboreal	Show	7-9 inch	Rainforest 20+ gallon high. 65-75% humidity	80-86F 72-76F	Inter/ Adv	Insects Crickets Fruit Honey CF	5+	Active day/night  Unlike other gecko's, these should be kept in pairs  Should not be housed with other species – will eat smaller ones.
	Tokay Gecko	Arboreal	Show Aggressive	8-12 inch	Rainforest 20+ gallon high. 50% humidity	82-86F 72-76F	Inter/ Adv	Insects CF Fruit Honey Pinkies	15-20+	Aggressive nature; Will latch on if bitten  Substrate: Leafy soil

IGUANIDAE Anoles Iguana Swifts Other	Anoles	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information Unless otherwise noted, male anoles should not be housed together
	Brown anole	Semi- arboreal	Show	6-9 inch	Tropical Forests  10+ gallon  75-80% humidity	75-88F	Beg/ Inter	Insects Mealworm	5-7	Can be housed with green tree frogs, green anole, long tailed lizards, fire bellied toads and small geckos May eat smaller lizards Daily misting
	Cuban or Knight anole	Arboreal	Show	13- 20 inch	Tropical Forests 40+ gallon 65-75 humidity	78-88F	Inter	Insects Mealworm Spiders Anoles Geckos	16+	Up during the day Will eat smaller lizards House alone or with 1- 2 females Daily misting
	Green, Carolina American Chameleon	Arboreal	Show	6-9 inch	Tropical Forests 10+ gallon 75-80% humidity	75-88F	Beg/ Inter	Insects Mealworm Spiders	5-7	Can change colors, but not a chameleon  Tails will regenerate  Daily misting

IGUANIDAE	IGUANA	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information
	Common Green, Blue Iguana	Arboreal Will swim	Show or infrequent handling	6+ feet	Tropical Forest  6" L x 3' D x 6'H for adult  70-90% humidity	79-95F	Inter	Fruits Vegetable Babies eat insects	15-20	Awake during day  Social: Solitary  Male iguanas can be aggressive during breeding season  Provide large branches for climbing & large water bowl for bathing/humidity  UVA/UVB lighting necessary  Levels of aggressiveness varies depending on socialization  Can be "toilet trained"  Good eyesight, although poor in low light  Sharp claws – need clipping

IGUANIDAE	IGUANA	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information
	Spiny- Tailed Iguana Mexican and Black Spiny- tailed Iguana	Semi- arboreal	Show or infrequent handling Aggressive	3-4 feet	Forest Scrub  2' x 4' x 4 feet for one.  Moderate humidity	79-95F	Inter	Fruits Vegetable Insects Tiny Mice	12-15	Social: Solitary, although the Mexican spiny tailed is social and can be kept in groups if provide adequate space  UVA/UVB lighting necessary  More aggressive than Green Iguana  Provide rocks for climbing
	Desert Iguana	Ground	Show or infrequent handling	10- 16 inch	75 gallon long tank	90-100F	Inter	Fruits Vegetable	10-15	Awake during the day  Social: One male and several female  Provide rocks and sand for burrowing  Very quick, loves to run

IGUANIDAE	IGUANA	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information
	Rhinocero s Iguana	Ground	Show or infrequent handling	4 feet	Rocky Scrub  6" L x 3' D x 6'H for adult  50% humidity	90-100F	Inter	Fruits Vegetable	15-20	Awake during the day  Social: Solitary  UVA/UVB lighting necessary  Provide rocks for climbing and for hiding
IGUANIDAE	SWIFTS	Arboreal Semi- arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information
	Common Swift or Western Fence Lizard	Semi- arboreal	Show	7-9 inch	Forest 20 gallon	80-95F 65-75F	Beg	Insects Crickets	5+	Awake during the day  Social: One male with one or more females  Provide rocks and thick branches for climbing  UVA/UVB lighting necessary

IGUANIDAE	SWIFTS	Arboreal Semi- arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information
	Emerald or Mexican Emerald Swift	Semi- arboreal	Show	6-8 inch	Forest 20-30 gallon High humidity	80-95F 70-75F	Adv	Insects Crickets	3-5	Awake during the day  Social: One male with one or more females  Provide rocks and thick branches for climbing-also likes to burrow  UVA/ UVB lighting necessary
	Chuckwalla	Ground	Show	14-18 inch	Rocky Desert 50+ gallon	80-100F	Inter	Leaves Fruits Flowers	12-15	Social: One male with one or more females  Provide rocks with crevices for hiding
	Collared	Ground	Show  Can be aggressive	8-12 inch	Desert Grassland 20 gallon	75-90F 70-85F	Beg	Insects Crickets Lizards	5-10	Social: One male with one or more females  Do not house with smaller lizards Will eat other lizards!!  Provide rocks  Can run on their back legs

IGUANIDAE	OTHER	Arboreal Semi- arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information
	Conehead Lizard	Arboreal	Show Infrequent handling	22-28 inch	Rainforest 50 gallon 70-90% humidity	80-90F 70-75F	Inter/ Adv	Insects Crickets	15-20	Social: One male with one or more females  Need high humidity – not good for beginners due to chance of dehydration  Need lots of branches to climb  UVA/UVB lighting necessary
	Curly-tailed lizard Northern or Cuban	Semi- arboreal	Show	8-10 inch	Semi-arid 30 gallon 50% humidity	80-90F 75-77F	Inter	Insects Fruits Blossoms	5-8+	Social: One male with one or more females  Provide rocks and branches for climbing, hiding and basking

IGUANIDAE	OTHER	Arboreal Semi- arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information
	Horned Lizard, Horned Toad	Ground	Ground	3-6	Desert Grassland 50+ gallon long	85-100F	Adv	Harvester Ants	3-5	Social: One male with one or more females  Can squirt blood from its eyes up to 5 ft.  Hard to keep due to particular diet of harvester ants. Will wait for food to come to them.  Provide rocks for hiding, climbing
CORYTOPHANIDAE	Basilisk	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information
	Brown or Striped Basilisk	Arboreal Aquatic	Show  Can be handled with frequent socializing	1-2 feet	Rainforest Aquarium  50-75 gallon  Humid aquarium style tank	84-95F 75-80F	Inter	Insects Crickets Vegetable Fruit	7-10	Social: One male with one or more females  Can 'walk' on water  Provide visual barrier on sides of tank so they will not run into sides of tank  Provide large bowl of water for bathing and perches/branches for climbing

CORYTOPHANIDAE	Basilisk	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information
	Green or Plumed Basilisk	Arboreal Aquatic	Show  Can be handled with frequent socializing	1-2 feet	Rainforest Aquarium  50-75 gallon  Humid aquarium style tank	84-95F 75-80F	Inter	Insects Crickets Vegetable Fruit	13+	Social: One male w/ 1+ females  Can 'walk' on water  Use visual barrier on tank sides so will not run into the sides  Large bowl of water for bathing & branches /perches for climbing
AGAMIDAE Agamas Uromastyx Dragons Other	Agamas	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information
	Red-headed Rock Agama	Ground Semi- arboreal	Show  Can be handled with frequent socializing	12-14 inch	Desert Rocky 75 gallon Low humidity	77-90F 70-75F	Beg	Insects Crickets	6-10	Social: One male with several females  Provide rocks/perches  Mist for drinking/humidity
	Egyptian Thorny- tailed Agama <i>Uromastyx</i>	Ground	Show	20-30 inch	Desert 60+ gallon	85-95F 65-75F	Beg	Insects Vegetable Greens	15+	Social: One male with several females  Provide rocks and soil/sand for burrowing  Needs UVA/UVB light

AGAMIDAE Agamas Uromastyx Dragons Other	Agamas	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information
	Indian Thorny- tailed Agama Uromastyx Juvenile pictured	Ground	Show	10-14 inch	Desert 30-40+ gallon	85-95F 65-75F	Beg	Insects Vegetable Greens	154	Social: One male with several females  Provide rocks and soil/sand for burrowing  Needs UVA/UVB light
	Mali Spiny- tailed Agama Uromastyx	Ground	Show	10-14 inch	Desert 30-40+ gallon	85-95F 65-75F	Beg	Insects Vegetable Greens	15+	Social: One male with several females  Provide rocks and soil/sand for burrowing  Needs UVA/UVB light
AGAMIDAE	Dragons	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information
	Bearded Dragon, Central or Inland	Ground	Can be handled with frequent socializing	16-22 inch	Desert Savannah 75+ gallon long	90-100F	Beg/ Inter	Insects Crickets Vegetable Greens	8-10	Social: One male with several females  Provide rocks & soil, sand for burrowing  UVA/UVB lighting necessary  May brumate (hibernate)

AGAMIDAE	Dragons	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information
	Bearded Dragon, Eastern	Semi- arboreal	Show	16-22 inch	Woodland Savannah 75+ gallon	90-100F	Beg/ Inter	Insects Crickets Vegetable Greens	8-10	Social: One male with 'submissive' females  More aggressive than Central  Needs rocks and thick branches to perch on  UVA/UVB lighting necessary
	Bearded Dragon, Lawson's or Rankin's	Ground	Can be handled with frequent socializing	7-10 inch	Desert Savannah 55+ gallon long	90-100F	Beg/ Inter	Insects Crickets Vegetable Greens	8-10	Social: One male with several females  Provide rocks and soil/sand for burrowing  UVA/UVB lighting necessary
	Frilled lizard, Frilled Dragon	Arboreal	Show Can be handled with frequent socializing	24-32 inch	Woodland 75+ gallon high	80-95F	Inter	Insects Crickets Vegetable	8-12	Social: One male with 1+ females  Provide branches for climbing & large bowl of water for soaking  UVA/UVB lighting necessary  Males will show frills as defense.

AGAMIDAE	Dragons	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information
	Water Dragon, Brown or Australian	Arboreal Aquatic	Can be handled with frequent socializing	30-36 inch	Temperate Forest  100 gallon  60-80% humidity	85-95F 75-80F	Inter	Insects Fish Fruits Greens Vegetable	154	Social: One male with 1-2 females  Needs rocks and branches for perching/climbing  UVA/UVB lighting necessary  Provide large bowl of water for soaking
	Water Dragon, Green or Chinese	Semi- arboreal Aquatic	Can be handled with frequent socializing	24-30 inch	Rainforest 75+ gallons 60-80% humidity	85-95F 75-80F	Inter	Insects Fish Fruits Greens Vegetable	15+	Social: One male with 1-2 females  UVA/UVB lighting necessary  Provide large bowl of water for soaking

CHAMAELEONIDAE	Chameleon	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information
	Jackson's or Three- Horned Chameleon	Arboreal	Show Minimum handling	12-15 inch	Rainforest  60 gallon high or preferably wire chameleon cage  80% humidity	77-85F 65-70F	Beg/ Inter	Crickets Mealworm Waxworm	5+	Social: One male with several females with visual barriers  Provide many branches and foliage to climb through  Mist 1-2x a day for water source/humidity  One of the easier chameleons to raise
	Leaf Chameleon	Arboreal	Show	3-4 inch	Dry Savannah 20 to 40 for several	77-85F 65-70F	Beg/ Inter	Small crickets Ants Mosquito	2-4	Social: Can be kept in groups with adequate coverage and size of tank  Provide branches, logs and foliage  Mist 1-2x a day for water source/humidity
	Panther Chameleon	Arboreal	Show Minimum handling	14-20 inch	Rainforest  60 gallon high or preferably wire chameleon cage  80% humidity	77-85F 65-70F	Beg/ Inter	Crickets Mealworm Waxworm	2-5	Social: One male with several females with visual barriers  Provide many branches and foliage to climb through  Mist 1-2 times a day for water source and humidity

CHAMAELEONIDAE	Chameleon	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information
	Veiled Chameleon	Arboreal	Show Minimum handling	14-20 inch	Semiarid  60 gallon high or preferably wire chameleon cage  Moderate humidity	77-85F 65-70F	Beg/ Inter	Crickets Mealworm Waxworm Blossoms Leaves	3-5	Social: One male with several females with visual barriers  Provide many branches and foliage to climb through  Mist 1-2 times a day for water source and humidity
VARANIDAE  Monitor Lizards	Monitor Lizard	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information Large and aggressive lizards not for the average collector
	Savanna Monitor	Ground	Show  Aggressive although capable of being fairly tame with proper socializing	4-5 feet	Dry Savannah 100 square feet custom cage or room	85-95F 75-85F	Adv	Rodents Insects Crayfish CF	10+	Social: Solitary as adults  UVA/UVB lighting necessary  Provide rocks and low branches  Provide large bowl of water for soaking/drinking

VARANIDAE  Monitor Lizards	Monitor Lizard	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information Large and aggressive lizards not for the average collector
	Water Monitor	Ground Aquatic	Aggressive although capable of being fairly tame with proper socializing	8 feet	Dry Savannah Aquatic 100 square feet custom cage or room	85-95F 75-85F	Adv	Rodents Insects Crayfish CF	144	Social: Solitary as adults  UVA/UVB lighting necessary Provide rocks and hiding place  Provide large bowl of water for soaking/drinking
	Nile Monitor	Ground Aquatic	Show Aggressive Not easily tamed	5-7 feet	Pond Banks Aquatic 100 square feet custom cage or room	85-95F 75-85F	Adv	Rodents Insects Crayfish CF	10-20	Social: Solitary as adults  UVA/UVB lighting necessary  Provide large bowl of water or pond for soaking/drinking
	Emerald or Green Tree Monitor	Arboreal	Show	28-36 inch	Rainforest 75 gallon high for one/150- 200 gallon for more 70% humidity	85-95F 75-85F	Adv	Insects Lizards CF	15+	Social: One male with 1-2 females  Provide branches for climbing  UVA/UVB lighting necessary

VARANIDAE  Monitor Lizards	Monitor Lizard *	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information Large and aggressive lizards not for the average collector
	White- throated Monitor	Ground	Show	4-6 feet	Dry Savannah 100 square feet custom cage or room	85-95F 75-85F	Adv	Rodents Insects Crayfish CF	10	Social: Solitary as adult  UVA/UVB lighting necessary  Provide rocks and low branches  Provide large bowl of water for soaking/drinking
SCINCIDAE Skinks	Skinks	Arboreal Semi- Arboreal Ground	Personality Show of Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information Skinks are not handled easily and have a powerful bite
	Broad- headed Skink	Semi- arboreal	Show	12 inch	Dry Woodland Humid Forest 30 gallon for several	80-95F 70-75F	Beg/ Inter	Insects Crickets Blossoms Fruit CF	10+	Social: One male with 1-3 females  Provide large perches/ branches to get to basking area and leaf litter on bottom  UVA/UVB lighting necessary

SCINCIDAE Skinks	Skinks	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information Skinks are not handled easily and have a powerful bite
	Schneider Skink	Ground	Show	12-16 inch	Dry Woodland 20+ gallon	75-95F 70-75F	Beg/ Inter	Crickets Mealworm Vegetable Fruit CF	104	Social: One male with 1-3 females  Provide rocks and leaf litter on bottom of tank; large low branches  UVA/UVB lighting necessary
	Eastern or Northern Blue- Tongued Skink	Ground	Show	12-15 inch	Dry Woodland 40 gallon	75-90F 70-75F	Beg/ Inter	Crickets Mealworm Vegetable Fruit CF	20+	Social: Solitary  Semi-nocturnal  Provide hide box – no need for lots of rocks or branches
	Solomon Island*, Monkey- Tailed or Prehensile Tailed Skink	Arboreal	Show	18-24 inch	Rainforest  40+ gallon high for one  60-80% humidity	80-90F	Inter	Fruits Vegetable Greens	25+	Social: Communal given appropriate space, hiding spaces and visual barriers  Provide plenty of vertical space with hide boxes and lots of large branches and foliage for climbing

SCINCIDAE Skinks	Skinks	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other Information Skinks are not handled easily and have a powerful bite
	Red Eyed Crocodile Skink	Ground	Show	6-7 inch	Cool Forest 20 gallon (for 1-3 ) Moderate humidity	76-86F 65-72F	Beg	Insects Crickets Blossoms Fruit CF	10+	Social: Communal given appropriate space, hiding spaces  Nocturnal  Provide moist sold with leaf litter and hiding spaces  Provide bowl for drinking/ soaking
	Egyptian Sandfish, Common Sandfish	Ground	Show	6-7 inch	Semi-arid 20 gallon long Low humidity	85-95F 75F	Beg	Insects Crickets Mealworm Fruit CF	10+	Social: One male with 1-2 females  Provide several inches of "desert" sand, as these lizards 'swim' under the sand  UVA/UVB lighting necessary  Sandfish spend most of their time underground

TEIIDAE Tegus Ameiva Whiptails	Tegus	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other information
	Black and White Tegu or Argentine Tegu	Ground	Handled with frequent socializing  One of the more docile species.	2-4 feet	Savannah Rainforest  4 x 8 feet floor space  40% humidity	80-95F 72-80F	Beg/ Inter	Insects Rodents Chicks Fruit CF	154	Social: One male with 1-2 female w/ visual barriers  Can be 'toilet trained Likes to dig UVA/UVB lighting necessary  Prone to food aggression feed outside of housing  Provide large bowl for soaking/drinking
	Common Gold or Columbian Tegu	Ground	Show  Can be handled with frequent socializing	2-3 feet	Rainforest  4 x 8 feet floor space  High humidity	80-95F 70-75F	Beg/ Inter	Insects Rodents Chicks Fruit CF	15+	Social: One male with 1-2 female with visual barriers  Can be "toilet trained"  Likes to dig  UVA/UVB lighting necessary  Prone to 'food aggression' feed outside of housing or in bowl  Provide large bowl for soaking/ drinking

TEIIDAE Tegus Ameiva Whiptails	Tegus Ameiva	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other information
	Red Tegu	Ground	Show  Can be handled with frequent socializing	2-4 feet	Savannah Scrub Forest 4 x 8 feet floor space 40% humidity	80-95F 72-80F	Beg/ Inter	Insects Rodents Chicks Fruit CF	154	Social: One male with 1-2 female with visual barriers  Can be "toilet trained"  Likes to dig  UVA/UVB lighting necessary  Prone to 'food aggression' feed outside of housing or in bowl  Provide large bowl for soaking/ drinking
	Common or Green Ameiva	Semi- arboreal	Show Infrequent handling	14-24 inch	Forest floor 50-75 gallon 60% humidity	80-90F 75F	Beg/ Inter	Crickets Mealworm Fruit	10	Social: One male with 1-3 females  Diurnal – active during day  UVA/UVB lighting necessary  Provide large bowl for soaking/ drinking  Provide leaf litter and branches for climbing  Likes to dig

TEIIDAE Tegus Ameiva Whiptails	Whiptails	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other information
F 1 1	Three Striped, New Mexico and Tiger Whiptail	Ground	Show	6-9 inch	Dry Savannah Semi-arid 40 gallon	85-95F 75F	Beg/ Inter	Crickets Blossoms Fruit	1-5	Social: One male with 1-3 females Diurnal – active during day Speedy
	Six-lined Racerunner	Ground	Show	2-3 inch	Dry Savannah Semi-arid 40 gallon	85-95F 75F	Beg/ Inter	Crickets Blossoms Fruit	1-3	Social: One male with 1-3 females  Diurnal – active during day  Speedy
LACERTIDAE	Wall Lizards	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other information
	European Green Lizard	Semi- Arboreal	Show	10-12 inch	Dry Savannah 40 gallon for several	85-95F	Beg	Crickets Blossoms Fruit	5+	Social: One male with 1-3 females Likes to dig
	European or Common Wall Lizard	Ground	Show	6-8 inch	Dry Savannah Rocky 30-40 gallon	85-95F	Beg	Crickets Fruit	5	Social: Communal given appropriate space, hiding spaces  Provide rocks and crevices for hiding

LACERTIDAE	Grass Lizard	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other information
	Asian Grass Lizard	Semi- arboreal	Show	9-12 inch w/ tail	Dry Savannah 40 gallon	85-95F	Beg	Crickets Insects Fruit Mealworm	5	Social: One male with 1-3 females  Awake during the day  Provide grasses or low lying plants
CORDYLIDAE Girdled Plated	Girdled	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other information
	Armadillo Girdled Lizard	Ground	Show	6-9 inch	Dry Savannah Rocky 20-40 gallon	85-95F 65-75F	Beg	Crickets Insects Greens Fruit	20+	Social: One male with 1-3 females  Diurnal  Provide rocky ledges and hiding places  UVA /UVB lighting necessary

CORDYLIDAE	Plated	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other information
	Rough-Scale or Sudan Plated Lizard	Ground	Handled	15-20 inch	Semi-arid Rocky 50-75 gallon	70-90F 65-70F	Beg	Crickets Insects Fruit Greens	204	Diurnal  Social: Communal given plenty of places to hide  UVA/ UVB lighting necessary  Provide rocky ledges  Likes to dig
	Four Lined Plated Lizard	Ground	Handled	15-18 inch	Semi-arid 50-75 gallon	85-95F 68-70F	Beg	Crickets Insects Fruit Greens	20+	Social: Communal given plenty of places to hide  Diurnal  Likes to burrow  Provide flat rocks

ANGUIDAE Alligator Glass	Alligator	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other information
	Southern Alligator Lizard	Ground	Show	12-14 inch	Dry Woodland Semiarid 20+ gallon 65% humidity	70-80F 60-65F	Beg	Crickets Insects Mealworm	3-5	Social: Communal given plenty of places to hide  Substrate of sandy soil and leaf litter  Hardy  Can be bitey when handled  UVA/UVB lighting necessary
	Northern Alligator Lizard	Ground	Show	4-10 inch	Dry Woodland 20+ gallon	70-80F 60-65F	Beg	Crickets Insects Mealworm	3-5	Social: Communal given plenty of places to hide  Substrate of sandy soil and leaf litter  Hardy  Can be bitey when handled  UVA/UVB lighting necessary

ANGUIDAE	Glass	Arboreal Semi- Arboreal Ground	Personality Show or Handled	Size Feet or inch	Terrarium	Gradient Temp	Level of care	Food  CF= Commercial food	Life- span	Other information
	Slender Glass Lizard	Ground	Show	30-36 inch	Dry Woodland 20 gallon long	70-85F 65-70F	Beg	Crickets Insects Mealworm	104	Social: Communal given plenty of places to hide  Diurnal  No limbs - do not have hinged jaws like snakes  Likes to burrow  Provide places to hide  DO NOT pick up by tail- breaks easily
	European Glass Lizard	Ground	Show	3-4 feet	Dry Woodland 20-40 gallon	70-85F 65-70F	Beg	Crickets Insects Mealworm Small mice		Social: Communal given plenty of places to hide  Diurnal  No limbs - do not have hinged jaws like snakes  Likes to burrow  Provide places to hide, rocks and branches for climbing  DO NOT pick up by tail- breaks easily